

The Dynamics of Climate Change and Global Warming: Imperatives for Food Security in Nigeria

Olumide D. Onafeso, Cornelius O. Akanni & Bamidele A. Badejo*

Abstract

This paper examines the imperatives for food security in the dynamics of climate change and global warming at the local Nigerian scale. Results revealed that exposure and sensitivity to climate risks vary across the country over the years. Analyses of sensitivity to inter-annual and intra-annual climate variability using bivariate correlation and multiple regression methods suggests impending drought in the northern region where livestock farming is predominant. An estimation of the relative contributions of each climate independent variable in determining the variability of crop yield using the backward selection procedures for the regression in the case of inter-annual variability was also conducted. Stepwise approach was adopted for the intra-annual study indexing the impacts of annual climate variability by a parameter computed as annual yield minus mean annual yield, divided by the standard deviation. The results produced a Z-distribution array with values varying from approximately -5 to approximately +5. Values < -3 or > 3 indicate impacts that are significant at 95 percent confidence levels. This study, therefore, established the interwoven relationship between climatic change, global warming and food security; and concludes that storage and preservation techniques or methods be developed as a strategic effort towards food security in Nigeria.

Keywords: *dynamics, climate change, global warming, food security, storage and preservation techniques and Nigeria*

Introduction

It has been suggested that by 2050, air temperatures above 30°C will be common in East and Southern Africa, and that shorter growing seasons in East and West Africa may make cropping an even more risky enterprise (Ericksen et al., 2011). Again, Burke et al. (2009) suggested that by 2025 the mean growing season temperature will be warmer than any experienced in the past for most areas where maize is planted in Africa. These impacts of climate change and variability will take a visible toll on the most vulnerable population: by 2050, as calorie availability declines, child malnutrition is projected to increase by 20 percent over a no-climate-change world. Africa has historically been subject to high air temperatures, droughts, floods and environmental degradation. Africa has also been reported to experience the worst effects of climate change, and is the most

* Department of Geography and Regional Planning, Olabisi Onabanjo University, Ago-Iwoye, Nigeria

vulnerable continent. Flooding and droughts are now common across Africa. The importance of climate-resilient food systems cannot be overstated – many of the countries with the greatest number of poor and hungry people are also those most vulnerable to climate change and variability (Bello, et al. 2004; Ahmed et al., 2009). Vulnerability is dynamic, locally specific and manifested along sector, community and poverty lines (Acosta-Michlik et al., 2008; Hertel & Rosch, 2010).

Food security has been described as an important aspect in any consideration of wealth and economic sustainability of a nation. It is generally defined as access by all people at all times to enough food for an active and healthy life. Important aspects to be considered in food security issues include the availability of foodstuff, the quality of the diet, the stability of supplies over time and space, and access to food produced (Honfoga & van den Boom, 2003). The World Health Organisation (WHO) recommends an intake of between 2500–3400 Kcal of energy per person per day. It is recommended that an individual should consume between 65-86g crude protein per day, out of which 35g (or 40%) must be animal protein. Food insecurity remains a global threat and human tragedy. It is by any measure a miserable picture, which does not reflect well on the efforts that have gone into the hunger alleviation programmes on which enormous sums of public funds have been lavished. The persistence of hunger in the developing world means that ensuring adequate and nutritious food for the population will remain the principal challenge facing policy makers in many developing countries in the years to come. Food insecurity is a particularly serious issue in many low income countries. For instance, sub-Saharan Africa and South Asia stand out as the two developing-country regions where the prevalence of human malnutrition remains high. The largest absolute numbers of undernourished people are in Asia, while the largest proportion of the population that is undernourished is in Africa, south of the Sahara. In terms of proportionality, this was estimated at 34 percent in Africa and 23 percent in South Asia.

FAO, WFP and IFAD (2012) recognized the potential of economic growth to accelerate reductions in hunger, poverty and malnutrition, and also drew attention to the association of globalization and economic growth with the trend towards over-nutrition, even in low-income countries. The societal transformations that have been observed in the process of economic growth, modernization and urbanization, have led a growing number of people to adopt lifestyles and diets that are conducive to overweight and related non-communicable diseases. The negative implications for public health systems are already significant in many countries, together with post-harvest losses, excessive consumption and waste draw on scarce resources that could be used to improve the nutrition of the poor and hungry while reducing the food

The Dynamics of Climate Change and Global Warming

system's environmental footprint. However, very few studies have attempted an analysis of the possible impact of global warming and climate change would have on food security, especially in Africa.

Food insecurity and hunger are forerunners to nutritional, health, human and economic development problems. They connote deprivation of basic necessities of life. As such, food security has been considered a universal indicator of households' and individuals' personal wellbeing. The consequences of hunger and malnutrition are already adversely affecting the livelihood and wellbeing of a massive number of people, and inhibiting the development of many poor countries. Malnutrition affects one out of every three preschool-age children living in developing countries. This disturbing, yet preventable state of affairs, causes untold suffering and presents a major obstacle to the development process. It is associated with more than half of all child deaths worldwide. It is therefore the bane of a major waste of resources and loss of productivity that are common occurrences in developing countries. This is because children who are malnourished are less physically and intellectually productive as adults. As such, malnutrition is a violation of children's human rights (Smith et al., 2003). Although the root problem of inadequate access to food is poverty, the challenge can be significantly exacerbated by climate change and global warming. This is in the sense of the failure of the economic system to generate sufficient income and distribute it broadly enough to meet households' basic needs. The problem can be addressed by either giving food directly to the poor (non-market distribution of aid); increasing their incomes so that they have greater entitlement to food through the market (given existing marketing costs); and/or reducing the costs of food delivered through markets by fostering technical and institutional innovations in farm-level production and the marketing system.

This paper examines the imperatives for food security in the dynamics of climate change and global warming at the local Nigerian scale. It also considers the causes of vulnerability to climate variability in terms of exposure, impacts and adaptive capacity, and how it exacerbates household food insecurity. This aims to help inform policy or interventions that support rural communities to cope and adapt to current and future effects of climate variability. In cropping areas critical to national and regional food security, where farmers are already struggling under current climate change and variability, future hydrological conditions are likely to be more extreme than those in the past, and mean temperatures are projected to exceed historical observations in the next 10–15 years (Mcintyre et al., 2011; Battisti & Naylor, 2009).

Methodology

The parameters used in this study to assess food security includes food production index, livestock production index, cereal yield, crop production index, population density, annual averaged temperature and annual averaged total rainfall. Following the recommendation of experts gathered in the Committee on World Food Security (CFS) round table on hunger measurement in 2011, an initial set of indicators aiming to capture various aspects of food insecurity was designed. The choice of the indicators has been informed by expert judgment and the availability of data with sufficient coverage to enable comparisons across regions and over time. Many of these indicators are produced and published elsewhere by FAO and other international organizations. They were employed in this study with the aim of defining a wide food security information system. Indicators were classified along the four dimension of food security, that is, availability, access, utilization, and stability. To further facilitate their interpretation they are also classified as indicators of determinants and outcomes of food insecurity. Determinants, which can be either static or dynamic, refer to structural conditions that worsen food insecurity in the absence of adequate policy interventions, including emergency assistance. Outcome indicators capture results in terms of inadequate food consumption or anthropometric failures.

According to the FAO, food production index covers food crops that are considered edible and contains nutrients; whereas livestock production index includes meat and milk from all sources, dairy products such as cheese, eggs, honey, raw silk, wool, and hides and skins. Similarly, cereal yield measured as kilogram per hectare of harvested land includes wheat, rice, barley, oats, rye, millet, sorghum, buckwheat, and mixed grains. Production data on cereal relate to crops harvested for dry grain only. Cereal crops harvested for hay or harvested green for food, feed, or silage and those used for grazing are excluded. The FAO allocates production data to the calendar year in which the bulk of the harvest took place. Most of crops harvested near the end of a year were used in the following year. Crop production index shows agricultural production for each year relative to the base period 2004-2006. It includes all crops except fodder crops. Regional and income group aggregates for the FAO's production indexes are calculated from underlying values in international dollars, normalized to the base period. Population density was taken as mid-year population divided by land area in square kilometres. Population is based on the de facto definition of population, which counts all residents regardless of legal status or citizenship, except for refugees not permanently settled in the country of asylum, who are generally considered part of the population of their country of origin. Land area is a country's total area, excluding area under inland water bodies (i.e., major rivers and lakes), national claims to continental shelf, and exclusive economic zones.

Whereas food production index, livestock production index, cereal yield, crop production index, population density (all drawn from the World Bank data portal), as well as annual averaged temperature and annual averaged total rainfall (obtained from the Nigerian Meteorological Agency, and averaged for Ibadan, Calabar, Enugu, Jos, Maiduguri and Kaduna) were analysed for a fifty-year period ranging between 1961 and 2013, all other parameters (acquired from the FAO data portal) were analysed for a twenty-year period ranging between 1990 and 2013 for paucity of data. Missing data were treated as mean of the series in each case.

Analyses of sensitivity to inter-annual and intra-annual climate variability were done by using bivariate Persons correlation and multiple regression methods. Estimation of the relative contributions of each climate independent variable was employed in determining the variability of food security parameters using the backward selection procedures for the regression. A stepwise approach was adopted for the intra-annual study indexing the impacts of annual climate variability by a parameter computed as annual yield minus mean annual yield divided by the standard deviation. The results produced a Z-distribution array with values varying from approximately -5 to approximately +5. Values < -3 or > 3 indicate impacts that are significant at 95 percent confidence levels.

Results and Discussions

Agriculture is the mainstay of Nigeria's economy, employing approximately two-thirds of the country's total labour force, and contributing 40 percent to the GDP. Nigeria is the world's largest producer of cassava, yam and cowpea; yet it is a food-deficient nation depending on imports of grains, livestock products, and fish (IFAD, 2012). Of an estimated 71m ha of cultivable land, only half is currently used for farming; there is similar potential for an expansion of irrigation, which now only covers 7 percent of irrigable land. Most of the rural population farms on a subsistence scale, using small plots and depending on seasonal rainfall. Pressure from growing populations is also impacting already diminished resources, further threatening food production. Over-farmed land, deforestation, and overgrazing are severe in many parts of the country. Drought has become common in the north, while erosion and flooding is a major problem in the south.

Even though Nigeria is not facing a major hunger crisis at the moment, the dynamics of the nation's food supply system require adequate assessment to forestall acute and severe food deficit. Many analysts have noted that Nigeria's current food security is by no means sustainable, noting that a situation where the country spends about one trillion naira annually on food importation is not sustainable. According to a former Minister of Agriculture, Nigeria spends

Olumide D. Onafeso, Cornelius O. Akanni & Bamidele A. Badejo

N635 billion on importations of wheat, N356 billion on importations of rice, N217 billion on sugar importations, and N97 billion on importations of fish as expressed in a Thisday Newspaper article of 10 Sep 2013.

Over the past five decades, the value for the food production index in Nigeria has fluctuated between 104.69 in 2006 and 22.51 in 1961, while the value for livestock production index has fluctuated between 122.97 in 2011 and 20.95 in 1962. The value for cereal yield (kg per hectare) in Nigeria was 1330.90 as of 2011. As shown in Fig. 1, over the past 50 years this indicator reached a maximum value of 1655.50 in 1981, and a minimum value of 607.80 in 1966. Cereal yield in the country showed a linear trend which indicates an annual growth of about 16.619 kg per hectare annually. The value for crop production in Nigeria has fluctuated from 21.99 in 1961 to a peak of 105.31 in 2006. The value for population density in Nigeria has continued to rise systematically from 51.51 since the year 1961. The value for the depth of food deficit (kilocalories per person per day) in Nigeria was 50.00 as of 2012. Over the past 20 years, food deficit in Nigeria reached a maximum value of 120.00 in 1992, and a minimum value of 39.00 in 2006.




Figure 1: Cereal yield in Nigeria over the years

Rainfall is the key climatic variable with marked alternation of wet and dry seasons in most areas. Given the climatological cycle and the size of the country, there is a considerable range in total annual rainfall across Nigeria, both from south to north and, in some regions, from east to west.

rainfall variability attenuated by the Sahelian desiccations is responsible for the near synchronous response indicated in the 0.989 correlation between annual averaged total rainfall and livestock production index in Nigeria within the five decades between 1961 and 2013. Similarly, the annual averaged temperature is also positively correlated to livestock production index and cereal yield, although with less strong but significant [at the 0.01 level (2-tailed)] values of 0.379 and 0.353 respectively.

Table 1: Bivariate Correlation of Climate and Food Security Indicators

	Annual Averaged Total Rainfall	Annual Averaged Temperature	Population density (people per sq. km of land area)	Crop production index (2004-2006 = 100)	Food production index (2004-2006 = 100)	Livestock production index (2004-2006 = 100)	Cereal yield (kg per hectare)
Annual Averaged Total Rainfall	1	-0.139	0.103	0.947(**)	0.961(**)	0.989(**)	0.779(**)
Annual Averaged Temperature	-0.139	1	0.376(**)	0.240	0.259	0.379(**)	0.353(*)
Population density (people per sq. km of land area)	0.103	0.376(**)	1	0.159	0.147	0.043	-0.157
Crop production index (2004-2006 = 100)	0.947(**)	0.240	0.159	1	0.999(**)	0.911(**)	0.619(**)
Food production index (2004-2006 = 100)	0.961(**)	0.259	0.147	0.999(**)	1	0.931(**)	0.649(**)
Livestock production index (2004-2006 = 100)	0.989(**)	0.379(**)	0.043	0.911(**)	0.931(**)	1	0.819(**)
Cereal yield (kg per hectare)	0.779(**)	0.353(*)	-0.157	0.619(**)	0.649(**)	0.819(**)	1

Key: ** Correlation is significant at the 0.01 level (2-tailed).

* Correlation is significant at the 0.05 level (2-tailed).

Several studies have predicted possible impacts of future climate change using general circulation models (GCMs). Onafeso (2012) compared three GCMs – CGCM3, CSIROm3 and HadCM3 – with observed annual rainfall (1961-1990), employing paired sample t-test and Nash-Sutcliffe efficiency test to validate the model. He concluded that while CGCM3 underestimated wet season rainfall with 10% efficiency across Nigeria, CSIROm3 overestimated wet season rainfall in the southern parts of Nigeria; whereas HadCM3 simulated rainfall all over Nigeria with 85% efficiency, recommending that HadCM3 is the most appropriate for climate change projections in the region. The study predicted increased annual rainfalls in the southern parts of Nigeria that would result in surplus runoff and flooding from the year 2040. However, the study further projected a decline of 15.0±0.5% in annual rainfall from the 1961-1990 mean values for 2040-2060, and a further decline of

The Dynamics of Climate Change and Global Warming

41.3±0.1% for 2070-2099 especially in the northern regions of Nigeria (i.e., upstream Lokoja along the River Niger). This projected decline in annual rainfall and consequent runoff is believed to cause possible severe drought as suggested by other studies (Ekpoh & Nsa, 2011; Kayode & Francis, 2012).

The implication of these plausible water stress in the northern parts of the country would impose untold consequences on several agricultural ventures, especially in livestock production (Thornton et al., 2009). Beyond high prices of staple food items in Nigeria due to inflation and economic instability, drought is likely to pose serious threat in the future. According to the Ministry of Agriculture and Water Resources, which is responsible for the food crisis in Nigeria, another problem is connected with the fact that "... Nigeria's agriculture is mainly rain-fed and she has not taken full advantage of its irrigation potential estimated between two and 2.5 million hectares" (Ojo & Adebayo, 2012). The area under irrigation is officially estimated at about 220,000ha, or less than one percent of the total areas under crops, suggesting that the contribution of irrigated agriculture to crop production is relatively very small.

In contrast, while drought may pose major problems for the affordability and availability of food items, excessive rain has also proved to have contributed significantly to the current hike in food prices in the country. Statistics from Gombe State alone, as compiled by Gombe State Emergency Management Agency (GSEMA), show that about 999 farmlands in the state were affected by floods that destroyed yams, maize, vegetable, sugarcane and cassava farms in 2007. In the year 2012, over 5,000 farmlands were destroyed by flooding across the country, more than 800ha of yam and plantain farms were destroyed by flood in three communities in Oshimili South and Ndokwa East Local Government of Delta State, over 350ha of cassava farmland were destroyed in Edo State and rice farms were also destroyed in Kano State. Similarly, several reports of flooding incidences were made in the year 2013, including 300 houses and farmlands in Kaduna, and the recent July, 2014 flood in Kutufare village of Gudu Local Government Area in Sokoto State where about 65 farmlands and farm produce worth millions of naira were washed off by floods due to the overflow of the Kalmalo River.

Whereas climatic conditions favour the currently rising food prices, deficiencies in the delivery of farm inputs also come to the fore as a major challenge to farmers. Another factor is the low usage of fertilizers, occasioned by using poor levels of availability resulting in low crop yield. The Ministry of Agriculture and Water Resources has disclosed that the current use of fertilizer is about 1m metric tones per annum, while the

projected demand estimate is 3.7m metric tones. While the “... average worldwide rate is 93kg per hectare of NPK, the rate for Nigeria is around 13kg per hectare” (Ojo & Adebayo, 2012).

An estimation of the relative contributions of each climate independent variable, that is, the annual averaged total rainfall and the annual averaged temperature in determining the variability of crop yield taking crop production index, livestock production index and cereal yield as dependent variables using the backward selection procedures for the regression in the case of inter-annual variability showed significant difference. For the sake of efficiency, the population density was also factored into the equation as a predictor, as such the stepwise approach adopted for the intra-annual study indexing the impacts of annual climate variability by a parameter computed as annual yield minus mean annual yield divided by the standard deviation. Table 2 indicates the model parameters with very strong significant F changes in the Durbin-Watson statistics, especially a 0.508 value for cereal yield. This presupposes that the effect of climatic variables on the selected food security indices is very strong.

Table 2: Stepwise Regression Model of Climate and food security indicators

Model	R	R ²	Adjusted R ²	Std. Error of the Estimate	Change Statistics				Durbin-Watson	
	R ² Change	F Change	df1	df2	Sig. F Change	R Square Change	F Change	df1	df2	Sig. F Change
Crop production index (2004-2006 = 100)	.947	.897	.894	398.25098	.897	416.064	1	48	.000	.204
Livestock production index (2004-2006 = 100)	.989	.978	.977	191.09816	.835	1810.355	1	47	.000	.573
Cereal yield (kg per hectare)	.783	.614	.597	8502.77410	.490	59.589	1	47	.000	.508

Notes: ^aPredictors: (Constant), Annual Averaged Total Rainfall, Annual Averaged Temperature, Population density (people per sq. km of land area)

^bDependent Variable: Crop production index (2004-2006 = 100)

^cDependent Variable: Livestock production index (2004-2006 = 100)

^dDependent Variable: Cereal yield (kg per hectare)

^eWeighted Least Squares Regression - Weighted by Year

The very high R² change values also suggest the reliability of the model. The results produced from the parameter computed as annual yield minus mean annual yield divided by the standard deviation is shown in Fig. 3, where the Z-distribution array fall within values varying from approximately -5 to approximately +5.

The Dynamics of Climate Change and Global Warming

Consequently, values ranging < -3 or > 3 indicate impacts that are significant at 95 percent confidence levels. These impacts are thus more prevalent between 1983 and 1995 and from around 2010 till date with a currently declining trend showing significant impact due largely to flooding of farmland areas and drought in the south and the north respectively.




Figure 3: Z-distribution array of the impact of climatic variability on food security

Conclusion

Nigeria is a food-deficit country that on occasions has been dangerously dependent on food imports for the welfare of its people. Its agricultural sector has ceased to be an important contributor to foreign exchange earnings; even its contribution to employment has declined. This situation had not always been so. In fact, Nigeria used to be a major exporter of food crops until the discovery of crude oil in the late 1960s/early 1970s, which led to a massive exodus of youths from farming into the cities in search of white collar jobs.

The prevailing low productivity in agriculture gives causes for much concern. Looking inward to increased agricultural production remains an absolute necessity for ensuring satisfactory food supply to the citizenry. To this extent, farmers, policy makers, government and non-government agencies concerned with agricultural development must respond positively to the considerable challenges of achieving self-sufficiency in food production and providing agricultural raw materials for industrial

economy. The realization that resource-poor farmers form the core of the Nigerian agriculture brings this group to the centre stage of efforts to move the agricultural sector forward.

The attendant effects of climate change and global warming are likely to increase the threat to food security and intensify the already tense situation of malnutrition and food insecurity in Nigeria. This is due to the plausible inhibition of agricultural productivity as a result of alterations to the growing season, onset of rainfall and climatic variability: all of which are likely to adversely affect food production and crop yield. More so, little is yet known of how the impacts of drought and flooding would play in the scenario of both subsistence and mechanized farming in the country. Further studies are required to present empirical pictures of the impact of climate change and global warming on food security in Nigeria, to heave on the knowledge gaps presented by the present study.

References

- Acosta-Michlik, L., U. Kelkar & U. Sharma, 2008. A critical overview: local evidence on vulnerabilities and adaptations to global environmental change in developing countries. *Global Environmental Change*, 18: 539–542.
- Ahmed, S.A., N.S. Diffenbaugh & T.W. Hertel. 2009. Climate volatility deepens poverty vulnerability in developing countries. *Environmental Research Letters*, 4: 1–8. doi:10.1088/1748-9326/4/3/034004.
- Aremu, J.K. & A.F. Olatunde. 2012. Drought Intensities in the Sudano-Sahelian Region of Nigeria. *Journal of Sustainable Society*, 1(4): 88–95.
- Battisti, D.S. & R.L. Naylor. 2009. Historical Warnings of Future Food Insecurity with Unprecedented Seasonal Heat. *Science*, 323: 240–244.
- Bello, N.J., G.C. Ufoegbune & C.O. Akanni. 2004. Climatic Classification Approach to Agricultural Land Use Planning in Ogun-Oshun River Basin Area Nigeria. *Journal of Meteorological Society*, 4(1): 50–62.
- Biasutti, M. and Giannini, A., 2006. Robust Sahel drying in response to late 20th century forcings. *Geophys. Res. Lett.* 11. L11706. doi:10.1029/2006GL026067.
- Burke, M.B., D.B. Lobell & L. Guarino. 2009. Shifts in African Crop Climates by 2050 and the Implications for Crop Improvement and Genetic Resources Conservation. *Global Environmental Change*, 19: 317–325.
- Cook, K.H. 2008. Climate Science: The Mysteries of Sahel Droughts. *Nature Geoscience*, 1: 647-648.

The Dynamics of Climate Change and Global Warming

- Ekpoh, I.J. & E. Nsa. 2011. Extreme Climatic Variability in North-western Nigeria: An Analysis of Rainfall Trends and Patterns. *Journal of Geography and Geology*, (1): 51–62.
- Ericksen, P., P. Thornton, A. Notenbaert, L. Cramer, P. Jones & M. Herrero. 2011. Mapping Hotspots of Climate Change and Food Insecurity in the Global Tropics, CCAFS Report No. 5. CGIAR Research Program on Climate Change, Agriculture and Food Security (CCAFS). Copenhagen, Denmark [available at www.ccafs.cgiar.org].
- FAO, WFP & IFAD. 2012. *The State of Food Insecurity in the World 2012. Economic Growth Is Necessary But Not Sufficient to Accelerate Reduction of Hunger and Malnutrition*. Rome: FAO.
- Hertel, T.W. & S.D. Rosch. 2010. Climate Change, Agriculture and Poverty. Policy Research Working Paper 5468. The World Bank, Development Research Group, Agriculture and Rural Development Team.
- Honfoga, B.G. & G.J. M. van den Boom. 2003. Food-Consumption Patterns in Central West Africa, 1961 to 2000, and Challenges to Combating Malnutrition. *Food and Nutrition Bulletin*, 24(2):167–182. The United Nations University.
- Ingram, J., P. Ericksen & D. Liverman (eds.). 2010. *Food Security and Global Environmental Change*. London and Washington DC: Earthscan.
- Mcintyre, B., Y. Kim, J. Fruci & E. Rosenthal. 2011. The Bestlaid Plans: Climate Change and Food Security. *Climate and Development*, 3(4): 281–284. DOI: 10.1080/17565529.2011.617564
- Onafeso, O.D. & O.A. Olusola. 2014. Evapotranspiration Modelling and Ecogeomorphological Classification of Landscapes. National Colloquium on Frontiers in Environmental Research and Sustainable Environment in the 21st Century. University of Ibadan.
- Onafeso, O.D. 2012. Analysis of Changes in Rainfall Pattern and Runoff Predictions for the Lower River Niger, Nigeria. PhD thesis in the Department of Geography submitted to the Faculty of Science, University of Ibadan.
- Ojo, E.O. & P.F. Adebayo. 2012. Food Security in Nigeria: An Overview. *European Journal of Sustainable Development*, 1(2): 199–222.
- Smith, L.C., U. Ramakrishnan, A. Ndiaye, L. Haddad & R. Martorell. 2003. The Importance of Women's Status for Child Nutrition in Developing Countries. *Research Report Abstract* 131. IFPRI
- Thornton, P.K., J. van de Steeg, A. Notenbaert & M. Herrero. 2009. The Impacts of Climate Change on Livestock and Livestock Systems in Developing Countries: A Review of What We Know and We Need to Know. *Agricultural Systems*, 101.